Astron. Nachr./AN **32X** (200X) X, XXX–XXX

arXiv:astro-ph/0508307v1 13 Aug 2005

Galactic model parameters for field giants separated from field dwarfs by their 2MASS and V apparent magnitudes

S. BILIR, S. KARAALI, T. GÜVER, Y. KARATAŞ, and S. G. AK

Istanbul University Science Faculty, Department of Astronomy and Space Sciences, 34119, University-Istanbul, Turkey

Abstract. We present a procedure which separates field dwarfs and field giants by their 2MASS and V apparent magnitudes. The procedure is based on the spectroscopically selected standards, hence it is confident. We applied this procedure to stars in two fields, SA 54 and SA 82, and we estimated a full set of Galactic model parameters for giants including their total local space density. Our results are in agreement with the ones appeared recently in the literature.

Key words: Galaxy: structure – Galaxy: fundamental parameters – Stars: giants

1. Introduction

For some years, there has been a conflict among the researchers about the history of our Galaxy. Yet there has been a large improvement about this topic since the pioneering work of Eggen, Lynden-Bell & Sandage (1962) who argued that the Galaxy collapsed in a free-fall time ($\sim 2 \times 10^8$ yr). Now, we know that the Galaxy collapsed over many Gyr (e.g. Yoshii & Saio 1979; Norris, Bessell & Pickles 1985; Norris 1986; Sandage & Fouts 1987; Carney, Latham & Laird 1990; Norris & Ryan 1991; Beers & Sommer-Larsen 1995) and at least some of its components are formed from the merger or accretion of numerous fragments, such as dwarf-type galaxies (cf. Searle & Zinn 1978; Freeman & Band-Hawthorn 2002, and references therein). Also the number of population components increased from two to three, complicating interpretations of any data set. The new component (the thick disc) was introduced by Gilmore & Reid (1983) in order to explain the observation that star counts towards the South Galactic Pole were not in agreement with a single-disc (thin disc) component, but rather could be much better represented by two such components. The new component is discussed by Gilmore & Wyse (1985) and Wyse & Gilmore (1986).

The researchers use different methods to determine the parameters for three population components and try to interpret them in relation to the formation and evolution of the Galaxy. Among the parameters, the local density and the scaleheight of the thick disc are the ones for which the numerical values improved relative to the original ones claimed by Gilmore & Reid (1983). In fact, the researchers indicate a tendency for the original local density of the thick disc to increase from 2 to 10 per cent relative to the local density and for its scaleheight to decrease from the original value of 1.45 kpc down to 0.65 kpc (Chen et al. 2001). In some studies, the range of values for the parameters is large, especially for the thick disc. For example, Chen et al. (2001) and Siegel et al. (2002) give 6.5-13 and 6-10 per cent, respectively, for the relative local density for the thick disc. We showed that the model parameters are absolute magnitude dependent, and that such a process limits the range of the parameters considerably (Karaali, Bilir & Hamzaoğlu, 2004a).

The studies related to the Galactic structure are usually carried out by star counts. However, it is stated by many authors (cf. Siegel et al., 2002) that the non-invertibility and the vagaries of solving the non-unique convolution by trial and error limit the star counts and will be a weak tool for exploring the Galaxy. Direct comparison between the theoretical and observed space densities is another method used. In the literature, there is limited number of research based on this method. The works of Basle group (del Rio & Fenkart 1987; Fenkart & Karaali 1987) and the recent work of Phleps et al. (2000), Siegel et al. (2002), Karaali et al. (2003), Du et al. (2003), Karaali et al. (2004a) and Bilir, Karaali & Gilmore (2005a) can be given as examples of this research.

In many studies, the Galactic model parameters are estimated without any discrimination between dwarf and giants, whereas some researchers estimated model parameters for different star categories (e.g. Pritchet 1983, Bahcall & Soneira 1984, Buser & Kaeser 1985 and Mendez & Altena 1996). A very recent work is devoted only to estimation of the model parameters for giants (Cabrera-Lavers, Garzon & Hammersley 2005). Separation of field giants and dwarfs plays an important role in the Galactic model estimation. The

Correspondence to: sbilir@istanbul.edu.tr



Fig. 1. V and 2MASS magnitudes of the Cayrel et al. (2001) and Ratnatunga & Freeman (1989) in our sample. (a) J/V, (b) H/V and (c) K/V. The symbols $(+)$ and (•) correspond to dwarfs and giants, respectively.

most efficient method for separation of stars into these categories is of course spectroscopical one. It can be done either by inspection of their spectral lines or using their surface gravities. However, both procedures are rather tiring. An easier procedure is to separate dwarfs and evolved stars (subgiants or giants) such as to obtain a luminosity function consistent with the local luminosity function of nearby stars due to Gliese & Jahreiss (1991) and Jahreiss & Wielen (1997). The procedure of this separation is based on the fact that the local luminosity functions obtained for many fields indicated a systematic excess of star counts relative to the luminosity function of nearby stars for the fainter segment, i.e. $M(V) \geq 5^m.5$, and a deficit for brighter segment, $M(V) < 5^m.5$. (in RGU system $M(G) \geq 6^m$ and $M(G) < 6^m$, respectively). The works of Karaali (1992); Ak, Karaali & Buser (1998); Karataş, Karaali & Buser (2001); Karaali et al. (2004b); Bilir, Karaali & Buser (2004); and Karataş et al. (2004) can be given as examples for application of this procedure.

In this work, we present a different procedure for separation of field dwarfs and giants by their Two Micron All Sky Survey (2MASS), i.e. J, H and K, and V magnitudes down to the limiting magnitude of $V = 16$. The standard stars used for defining the procedure are selected spectroscopically, hence our procedure would be applied confidently. The resultant Galactic model parameters for giants in two fields, SA 54 and SA 82, where their separation from the dwarfs is carried out by this procedure confirm our suggestion. The description of the procedure is given in Section 2, Section 3 is devoted to the application of the procedure to the giants in SA 54 and SA 82, the Galactic model parameters for giants estimated for two fields is given in Section 4, and finally Section 5 provides a conclusion.

2. Procedure for separation of field giants from field dwarfs

We used 196 field dwarfs and 156 field giants, taken from the catalogs of Cayrel, Soubiran and Ralite (2001) to obtain a procedure which separates the field dwarfs and giants. The double or multiple and variable stars, and stars which were exposed to interstellar reddening ($|b| \leq 20°$) in the Cayrel et al. (2001) catalogue have been eliminated. According to these criterias, totally 352 stars were separated into two categories, i.e. dwarf and giant, by us according to their surface gravities. Thus, stars with $\log g \leq 3$ were classified as giants, whereas those with $\log g \geq 4$ were assumed to be dwarfs. The catalog of Ratnatunga & Freeman (1989) from the other hand, offers 101 giants classified spectroscopically. The apparent limiting magnitude for stars in this catalog is $V = 16$. Thus, we have a sample of 453 stars separated into 196 dwarfs and 257 giants confidently.

Our aim is to compare the 2MASS apparent magnitudes, J, H and K, with the V apparent magnitude, from which we expect a systematic deviation between the two stellar categories in the two magnitude plane. The 2MASS (Skrutskie et al. 1997) is using two 1.3m telescopes, one on Mt. Hopkins in Arizona and one at the Cerro Tololo Inter-American Observatory in Chile, to survey the entire sky in near-infrared light[1]. In addition providing a context for the interpretation of results obtained at infrared and other wavelengths, 2MASS will provide direct answers to immediate questions on the large-scale structure of the Milky Way and the Local Universe. We used the 2MASS All-Sky Catalog of Point Sources of Cutri et al. (2003) to draw the J, H and K magnitudes for 453 stars mentioned above as well as their V magnitudes. The data are given in Table 1. Fig. 1a-c compares the 2MASS magnitudes and the V magnitude for the sample stars where a systematic deviation between giants and dwarfs is conspicuous, especially at the faint magnitudes. We adopted the straight line defined by positions of two giants as the upper envelope of giants (hence lower envelope of dwarfs). The first position corresponds to the giant faintest in two magnitudes, whereas the other one is the giant brightest in V but faintest in the 2MASS magnitude. The equation for three lines in Fig. 1a-c are given in the following:

$$J = 0.957V - 1.079 \qquad (1)$$

$$H = 0.931V - 1.240 \qquad (2)$$

$$K = 0.927V - 1.292 \qquad (3)$$

---

[1] http://www.ipac.caltech.edu/ 2mass/overview/about2mass.html



Fig. 2. Two magnitude diagrams for stars in two fields: (a), (b) and (c) for SA 54; (d), (e) and (f) for SA 82. The solid line is adopted from Fig. 1.

Table 2. Data for the fields SA 54 and SA 82. The symbols give: N_s: number of sources, N_{glx}: number of galaxies, N_d: number of dwarfs and N_g: number of giants.

Field	l (^{o})	b (^{o})	Size (deg^2)	N_s	N_{glx}	N_d	N_g
SA 54	200.1	58.8	2.56	1334	66	1168	100
SA 82	6.3	66.3	1.20	909	79	747	83



Fig. 3. $(U-B, B-V)$ two-colour diagrams for two fields. (a) for SA 54 and (b) for SA 82. The iso-metallicity lines are taken from Lejuene et al. (1997).

3. Application of the procedure to the giants in two star fields

We applied the procedure cited above to separate the giants and dwarfs in two high latitude fields, SA 54 and SA 82, investigated by Basle astronomers (Becker et al. 1982, 1991) in the UBV photometry. Data for the fields are given in Table 2. We excluded the extragalactic objects via the procedure of Bilir, Karataş & Ak (2003), then J/V, H/V, and K/V two magnitude diagrams were drawn for stars in each field (Fig. 2). The distribution of stars about a central line with small deviations is a strong evidence for the matching procedure between spectroscopic catalogues and 2MASS catalogue. Although all the 2MASS magnitudes are available for dwarf-giant separation we preferred the J magnitude. The limiting apparent magnitude is $V = 18$ for both fields, however we restricted our work with $V = 16$, where the procedure in Section 2 is defined. The number of giants in SA 54 and SA 82 turned out to be 100 and 83, respectively. They are plotted in Fig. 3 and their metal abundances, necessary for absolute magnitude determination, are evaluated by means of iso-metallicity lines of Lejuene, Cuisinier and Buser (1997) which are available for $\log g = 3$ and cover an interval of $-3 \leq [Fe/H] \leq +1$ dex. The absolute magnitudes of 183 giants in two fields are determined by the following equations of Ratnatunga & Freeman (1989):

$$M(V) = A_0 + 1.11[Fe/H] + 0.443 \quad (4)$$

$$A_0 = 68.08 + 170.3C + 163.4C^2 - 71.20C^3 + 11.75C^4 \quad (5)$$

$$C = min\{(B-V)_0 - 0.10[Fe/H] - 0.013, 1.80\} \quad (6)$$

Table 3. The logarithmic space density function $D^* = \log D + 10$ for giants in SA 54. z^* is the mean distance from the Galactic plane and a figure in the bracket, in the column of volume, show that the value at the left of it will be multiplied by ten to the power of this figure. The other symbols are explained in the text (distances in kpc, volumes in pc^3).

$r_1 - r_2$	$\Delta V_{1,2}$	N	z^*	D^*
0 - 1	2.60 (05)	24	0.52	5.97
1 - 2	1.82 (06)	17	1.34	4.97
2 - 5	3.04 (07)	13	2.86	3.63
5 -10	2.27 (08)	14	6.14	2.79
10-15	6.17 (08)	8	10.78	2.11
15-25	3.18 (09)	10	18.18	1.50
25-40	1.26 (10)	9	27.03	0.85
40-54	2.43 (10)	5	43.78	0.31

Table 4. The logarithmic space density function $D^* = \log D + 10$ for giants in SA 82 (symbols as in Table 3).

$r_1 - r_2$	$\Delta V_{1,2}$	N	z^*	D^*
0 - 1	1.22 (05)	7	0.56	5.76
1 - 2	8.53 (05)	10	1.15	5.07
2 - 5	1.43 (07)	16	3.04	4.05
5- 7.5	3.62 (07)	9	5.56	3.40
7.5-15	3.60 (08)	9	11.47	2.40
15-25	1.49 (09)	9	18.28	1.78
25-40	5.89 (09)	8	27.83	1.13
40-60	1.85 (10)	6	45.47	0.51
60-90	6.25 (10)	9	70.31	0.16

The distance to a star relative to the Sun is carried out by the following formula:

$$[V - M(V)]_0 = 5 \log r - 5 \qquad (7)$$

Then, the vertical distance to the Galactic plane (z) of a star could be evaluated by its distance r and its Galactic latitude (b) which could be provided by its right ascension and declination.

Table 3 and Table 4 give the logarithmic space density functions, $D^* = \log D + 10$, for SA 54 and SA 82 respectively, where $D = N/\Delta V_{1,2}$; $\Delta V_{1,2} = (\pi/180)^2(\square/3)(r_2^3 - r_1^3)$; $\square$ denotes the size of the field; r_1 and r_2 denote the limiting distance of the volume $\Delta V_{1,2}$; and N denotes the number of stars.

4. Galactic model parameters

The comparison of the observed space density functions given in Tables 3 and 4 and the density law combined for three populations, i.e. thin disc, thick disc and halo is carried out in Fig. 4, by χ^2 method. The density laws for three populations are not given here, however one can find them in many papers (cf. Karaali et al. 2004a). The resultant Galactic model parameters for three populations and the total local logarithmic space density for giants, for two fields, are given in Table 5. The most conspicuous numerical values are for the total local densities for giants in two fields, i.e. $n^* = 6.68$ and $n^* = 6.62$ for SA 54 and SA 82, respectively, which are rather close to the one of Gliese (1969), i.e. $\odot = 6.64$.



Fig. 4. Comparison of the observed and combined space density function (●) for the thin and thick discs and halo with the combined density law, for giants in two fields: (a) for SA 54 and (b) for SA 82. The thin and dashed lines show the density laws of two discs (TN+TK) and Halo (H) respectively.

Although the axes ratio for the halo components of two fields are equal to each other, $\kappa = 0.74$, there are meaningful differences between the corresponding parameters for two fields, such as the scaleheights, for example. The scaleheight for the thick disc for SA 54 is 583 pc, whereas the one for SA 82 is 927 pc, which confirms our suggestion that the Galactic model parameters are Galactic longitude dependent (Bilir et al. 2005b). Actually, the Galactic latitudes of these fields are close to each other, $b = +58^o.8$ of SA 54 and $b = +66^o.3$ of SA 82, whereas SA 54 is almost in the anticenter direction ($l = 200^o.1$) and SA 82 is in the center direction ($l = 6^o.3$) of the Galaxy (for detail see Section 5).

5. Conclusion

We presented a different procedure for separation of field dwarfs and field giants by comparison of their 2MASS and V magnitudes down to the limiting magnitude of $V = 16$. The procedure is based on the spectroscopically selected standards, hence it is confident. We applied this procedure to stars in two fields, SA 54 and SA 82, and we estimated the Galactic model parameters for thin disc, thick disc and halo giants as well as their total local space density (Table 5).

Our results are in agreement with the ones appeared in the literature so far, however the model parameters estimated by many researchers are restricted to only scaleheight of discs. Whereas in this work, we give a full set of model parameters

Table 5. Galactic model parameters, for two fields, for three populations, i.e. thin disc, thick disc, and halo, resulting from the comparison of observed and combined space densities with the density law combined for the thin and thick discs, and halo. The symbols: n^*: the logarithmic local space density, H: the scaleheight, κ: the axes ratio for halo, n^*_{tot}: the combined logarithmic local space density for three populations, χ^2: the statistics used for comparison the observed data with the density law.

	Thin disc		Thick disc		Halo			
Field	n*	H (pc)	n*	H (pc)	n*	κ	n$^*_{tot}$	χ^2 (10^{-10})
SA 54	$6.64^{+0.01}_{-0.01}$	301^{+3}_{-3}	$5.58^{+0.03}_{-0.03}$	583^{+23}_{-22}	$3.66^{+0.12}_{-0.15}$	$0.74^{+0.26}_{-0.21}$	6.68	178
SA 82	$6.60^{+0.01}_{-0.01}$	259^{+4}_{-3}	$5.34^{+0.03}_{-0.04}$	927^{+43}_{-39}	$3.61^{+0.07}_{-0.10}$	$0.74^{+0.07}_{-0.09}$	6.62	341

for three populations, thin disc, thick disc and halo. The pioneer works give rough scaleheights for discs (thin and thick discs), and claim for the existence of halo giants. For example, Pritchet (1983), Bahcall & Soneira (1984) and Buser & Kaeser (1985) give 150-250 pc, 250±100 pc, and less than 300 pc for disc scaleheight, respectively. Mendez & van Altena (1996) give more precise values, i.e. a mean scaleheight of 250±32 pc for disc subgiants and they claim that it is in agreement with previous scaleheight for red giants. The most recent scaleheights for thin and thick disc giants given by Cabrera-Lavers et al. (2005) are in agreement with the ones estimated in our work for SA 82 giants. Actually, they give 268.81±12.65 pc and 1061.9±52.16 pc, for thin and thick disc giants which are close to 259 pc and 927 pc given in Table 5. The agreement of the (total) local logarithmic space densities estimated for giants in two fields, $D^*(0) = 6.68$ and $D^*(0) = 6.62$ for SA 54 and SA 82 respectively, with the ones of Gliese (1969), $\odot = 6.64$, is a strong confirmation both for the Galactic model parameters for giants and for the procedure used for separation of field dwarfs and field giants.

These new calibrations and procedure having been adapted into robotic telescopes, i.e. ROTSE I-III, can be applied efficiently in separation of the dwarfs and giants stars in the star fields. The giant candidates selected through this procedure can be used in giant stars survey as in Grid Giant Star Survey (Bizyaev et al. 2005). Also we applied this method to NGC 1513 open cluster using ROTSE-IIId (Akerlof et al. 2003) telescope located in Bakırlıtepe Antalya, and we could separate the dwarfs and giants easily. Hence, we can say that this procedure would be used as a practical tool in separation of giants and dwarfs in the sky surveys carried out by robotic telescope in red bands.

Finally, we should emphasize that there are systematic differences between the model parameters for giants in two fields which are investigated homogeneously. Although the galactic latitudes of these fields are close to each other, $b = +58^o.8$ and $b = +66^o.3$ for SA 54 and SA 82, respectively, their galactic longitudes are quite different, $l = 200^o.1$ and $l = 6^o.3$ for the fields in the same order. Hence, it seems that the systematic differences between the model parameters for giants in two fields originate from their difference in longitude which confirms our suggestion that Galactic model parameters are Galactic longitude dependent (Bilir et al. 2005b).

Acknowledgements. We would like to thank the anonymous referee for insightful comments and suggestions that improved this paper greatly. We also thank H. Çakmak for preparing some computer software for this study. This research has made use of the SIMBAD database, operated at CDS, Strasbourg, France. This publication makes use of data products from the Two Micron All Sky Survey, which is a joint project of the University of Massachusetts and the Infrared Processing and Analysis Center/California Institute of Technology, funded by the National Aeronautics and Space Administration and the National Science Foundation.

References

Ak, S.G., Karaali, S., Buser, R.: 1998, A&AS, 131, 345
Akerlof, C.W., et al.: 2003, PASP, 115, 132
Bahcall, J.N., Soneira, R.M.: 1984, ApJS, 55, 67
Becker, W., Morales-Duran, C., Ebner, E., Esin-Yılmaz, F., Fenkart, R., Hartl, H., Spaenhauer, A.: 1982, Photometric Catalogue for Stars in Selected Areas and other Fields in the RGU-UBV Systems (VIII), Pub. Basel Astronomical Institute.
Becker, W., Fenkart, R.P., Del Rio, G., Esin-Yılmaz, F., Gülseçen, H., Karaali, S., Topaktaş, L.: 1991, Photometric Catalogue for Stars in Selected Areas and other Fields in the RGU-UBV Systems (XIII), Pub. Basel Astronomical Institute.
Beers, T.C., Sommer-Larsen, J.: 1995, ApJS, 96, 175
Bilir, S., Karataş, Y., Ak, S.G.: 2003, TJPh, 27, 235
Bilir, S., Karaali, S., Buser, R.: 2004, TJPh, 28, 289
Bilir, S., Karaali, S., Gilmore, G.: 2005a, MNRAS (submitted)
Bilir, S., Karaali, S., Ak, S.G., Karataş, Y., Yaz, E.: 2005b, (in prepration)
Bizyaev, D., Smith, V.V., Arenas, J., Geisler, D.: 2005, astro-ph/0502369
Buser, R., Kaeser, U.: 1985, A&A, 145, 1
Cabrera-Lavers, A., Garzon, F., Hammersley, P.L.: 2005, A&A, 433, 173
Carney, B.W., Latham, D.W., Laird, J.B.: 1990, AJ, 99, 572
Cayrel de Strobel, G., Soubiran, C., Ralite, N.: 2001, A&A, 373, 159
Chen, B. et al.: 2001, ApJ, 553, 184
Cutri, R.M., et al.: 2003, VizieR On-line Data Catalog: II/246. Originally published in: University of Massachusetts and Infrared Processing and Analysis Center.
Del Rio, G., Fenkart, R.P.: 1987, A&AS 68, 397
Du, C., Zhou, X., Ma, J., Bing-Chih, A., Yang, Y., Li, J., Wu, H., Jiang, Z., Chen, J.: 2003, A&A, 407, 541
Eggen, O.J., Lynden-Bell, D., Sandage, A.R.: 1962, ApJ, 136, 748
Fenkart, R.P., Karaali, S.: 1987, A&AS, 69, 33
Freeman, K. Bland-Hawthorn, J.: 2002, ARA&A, 40, 487
Gilmore, G., Reid, N.: 1983, MNRAS, 202, 1025
Gilmore, G., Wyse, R.F.G.: 1985, AJ, 90, 2015
Gliese, W.: 1969, Veröff. Astron. Rechen-Inst. Heidelberg, No:22
Gliese, W., Jahreiss, H.: 1991, Preliminary Version of the Third Catalogue of Nearby Stars, Astron. Rechen-Institut, Heidelberg
Jahreiss, H., Wielen, R.: 1997, ESASP 402, 675, eds. Battrick, B., Perryman, M.A.C., & Bernacca, P.L.

Karaali, S.: 1992, VIII. Nat. Astron. Symp. Eds. Z. Aslan and O. Gölbaşı, Ankara-Turkey, p.202
Karaali, S., Ak, S.G., Bilir, S., Karataş, Y., Gilmore, G.: 2003, MNRAS, 343, 1013
Karaali, S., Bilir, S., Hamzaoğlu E.: 2004a, MNRAS, 355, 307
Karaali, S., Bilir, S., Buser, R.: 2004b, PASA, 21, 275
Karataş, Y., Karaali, S., Buser, R.: 2001, A&A, 373, 895
Karataş, Y., Bilir, S., Karaali, S., Ak, S.G.: 2004, AN, 325, 726
Lejeune, Th., Cuisinier, F., Buser, R.: 1997, A&AS, 125, 229
Mendez, R.A., van Altena, W.F.: 1996, AJ, 112, 655
Norris, J.E., Bessell, M.S., Pickles, A.J.: 1985, ApJS, 58, 463
Norris, J.E., 1986: ApJS, 61, 667
Norris, J.E., Ryan, S.G.: 1991, ApJ, 380, 403
Phleps, S., Meisenheimer, K., Fuchs, B., Wolf, C.: 2000, A&A, 356, 108
Pritchet, C.: 1983, AJ, 88, 1476
Ratnatunga, K.U., Freeman, K.C.: 1989, ApJ, 339, 126
Sandage, A., Fouts, G.: 1987, AJ, 93, 74
Searle, L., Zinn, R.: 1978, ApJ, 225, 357
Siegel, M.H., Majewski, S.R., Reid, I.N., Thompson, I.B.: 2002, ApJ, 578, 151
Skrutskie, M.F., et al. 1997, The Impact of Large-Scale Near-IR Sky Surveys, ed. F. N. Epchtein, A. Omont, B. Burton, & P. Persei Garzon, (Dordrecht: Kluwer), 25
Wyse, R.F.G., Gilmore, G.: 1986, AJ, 91, 855
Yoshii, Y., Saio, H.: 1979, PASJ, 31, 339

Table 1. V and 2MASS magnitudes of Cayrel et al. (2001) and Ratnatunga & Freeman (1989) for stars in our sample. The coordinates are for the in epoch 2000. Symbols: (g) and (d): giant and dwarf respectively; (1) and (2) correspond to the references of Cayrel et al. (2001), and Ratnatunga & Freeman (1989), respectively.

Star/field	α	δ	V	J		H		K		type	refs
	(h m s)	(^{o} $'$ $''$)	(mag)	(mag)		(mag)		(mag)			
HD 000026	00 05 22	+08 47 16	8.22	6.540	±0.019	6.106	±0.020	6.032	±0.017	g	1
HD 000097	00 05 46	-19 40 13	9.62	8.057	0.019	7.612	0.034	7.513	0.023	g	1
BPS CS 22876-0032	00 07 37	-35 31 17	12.84	11.802	0.022	11.555	0.024	11.485	0.021	d	1
BD +13 0013	00 12 30	+14 33 49	8.59	6.847	0.023	6.380	0.018	6.245	0.020	g	1
HD 000987	00 13 53	-74 41 18	8.74	7.406	0.021	7.087	0.029	6.962	0.023	d	1
CD -23 00072	00 16 17	-22 34 41	9.58	8.147	0.021	7.786	0.046	7.683	0.021	g	1
BPS CS 29527-0015	00 29 06	-19 07 00	14.24	13.298	0.028	13.080	0.036	13.048	0.036	d	1
HD 002796	00 31 17	-16 47 41	8.51	6.853	0.020	6.391	0.034	6.256	0.016	g	1
HD 003008	00 33 14	-10 43 43	9.54	7.181	0.018	6.603	0.034	6.417	0.017	g	1
BD +21 0064	00 34 16	+22 24 48	9.65	7.634	0.024	7.135	0.024	6.916	0.017	g	1
HD 003567	00 38 32	-08 18 33	9.26	8.218	0.019	7.933	0.034	7.889	0.026	d	1
BPS CS 29497-0034	00 41 40	-26 18 55	13.30	10.571	0.024	10.115	0.024	9.996	0.021	g	1
HD 004306	00 45 27	-09 32 40	9.08	7.424	0.026	6.975	0.069	6.823	0.023	g	1
CD -38 00245	00 46 36	-37 39 34	12.00	10.279	0.024	9.762	0.026	9.648	0.024	g	1
HD 004893	00 49 23	-73 28 43	8.47	6.013	0.019	5.348	0.033	5.118	0.018	g	1
HD 005426	00 55 41	-33 45 11	9.63	8.082	0.034	7.626	0.031	7.548	0.027	g	1
SA 141	00 58 32	-29 48 22	13.98	12.004	0.028	11.326	0.022	11.248	0.019	g	2
SA 141	00 59 08	-29 40 22	14.04	12.223	0.021	11.690	0.022	11.618	0.021	g	2
SA 141	00 59 17	-30 16 03	14.57	11.504	0.027	10.753	0.027	10.555	0.027	g	2
SA 141	00 59 34	-29 37 30	14.38	12.355	0.024	11.779	0.025	11.680	0.023	g	2
SA 141	01 00 29	-31 13 18	15.22	13.373	0.030	12.853	0.026	12.711	0.027	g	2
SA 141	01 00 29	-32 01 30	15.71	13.702	0.029	13.154	0.023	13.042	0.030	g	2
SA 141	01 00 32	-29 26 32	15.27	13.394	0.022	12.813	0.021	12.699	0.024	g	2
SA 141	01 01 09	-28 15 26	14.38	12.320	0.023	11.686	0.022	11.530	0.019	g	2
SA 141	01 01 11	-30 27 55	15.08	12.906	0.026	12.207	0.024	12.116	0.026	g	2
SA 141	01 02 55	-30 12 36	14.40	12.034	0.024	11.372	0.027	11.238	0.021	g	2
HD 006254	01 03 16	-26 10 48	8.01	6.203	0.018	5.675	0.033	5.559	0.020	g	1
HD 006268	01 03 18	-27 52 50	8.10	6.335	0.020	5.843	0.023	5.714	0.018	g	1
SA 141	01 03 34	-31 02 40	13.22	11.301	0.026	10.725	0.025	10.611	0.021	g	2
HD 006229	01 03 36	+23 46 06	8.60	7.088	0.030	6.646	0.026	6.575	0.017	g	1
SA 141	01 04 25	-30 01 52	15.59	13.743	0.026	13.134	0.022	13.003	0.027	g	2
SA 141	01 05 16	-30 01 56	13.64	11.850	0.022	11.298	0.023	11.237	0.029	g	2
BPS CS 22166-0030	01 05 28	-11 57 31	13.58	12.484	0.024	12.149	0.023	12.099	0.021	d	1
HD 006834	01 09 35	+39 46 52	8.42	7.520	0.023	7.317	0.020	7.286	0.016	d	1
HD 007041	01 09 49	-56 21 22	9.04	7.459	0.021	6.993	0.049	6.901	0.021	g	1
SA 141	01 09 60	-29 28 47	14.49	12.486	0.027	11.905	0.023	11.757	0.021	g	2
SA 141	01 10 11	-29 25 29	14.05	12.341	0.026	11.817	0.023	11.729	0.021	g	2
HD 007172	01 11 43	-25 57 31	8.79	8.580	0.030	8.277	0.053	8.181	0.026	d	1
SA 141	01 11 53	-31 23 06	13.34	11.476	0.021	10.946	0.024	10.816	0.021	g	2
SA 141	01 11 55	-30 26 34	15.70	13.657	0.024	13.077	0.028	12.948	0.033	g	2
SA 141	01 12 21	-30 02 11	13.32	11.065	0.024	10.313	0.022	10.230	0.019	g	2
SA 141	01 13 23	-31 56 10	13.38	11.686	0.023	11.181	0.022	11.115	0.023	g	2
SA 141	01 13 29	-31 16 01	14.19	12.478	0.023	11.891	0.023	11.826	0.023	g	2
HD 007424	01 14 07	-16 25 35	10.08	8.859	0.018	8.532	0.044	8.460	0.024	d	1
SA 141	01 14 26	-29 35 18	15.52	13.497	0.024	12.912	0.026	12.722	0.027	g	2
SA 141	01 15 19	-30 48 12	13.24	11.056	0.023	10.457	0.023	10.303	0.023	g	2
SA 141	01 15 25	-30 01 59	13.64	11.820	0.024	11.258	0.023	11.155	0.024	g	2
HD 007595	01 15 30	-28 15 54	9.73	7.601	0.026	6.963	0.044	6.810	0.017	g	1
SA 141	01 15 44	-27 58 53	15.72	13.597	0.030	12.965	0.026	12.871	0.033	g	2
SA 141	01 18 49	-31 46 01	15.96	14.184	0.030	13.618	0.040	13.511	0.042	g	2
HD 007983	01 18 60	-08 56 22	8.89	7.718	0.027	7.412	0.036	7.354	0.021	d	1
SA 141	01 19 26	-30 31 55	15.69	13.652	0.024	13.073	0.031	12.977	0.034	g	2
SA 141	01 19 33	-29 31 07	13.93	11.617	0.027	10.967	0.023	10.847	0.021	g	2
BPS CS 22953-0037	01 25 07	-59 15 57	13.64	12.683	0.026	12.444	0.028	12.461	0.034	d	1
HD 008724	01 26 18	+17 07 35	8.34	6.299	0.023	5.769	0.040	5.636	0.020	g	1
G 002-038	01 26 56	+12 00 54	11.40	10.257	0.026	9.972	0.024	9.906	0.021	d	1
HD 009051	01 28 47	-24 20 25	8.92	7.289	0.020	6.831	0.047	6.707	0.016	g	1
HD 009430	01 32 58	+23 41 44	9.03	7.780	0.018	7.471	0.017	7.401	0.020	d	1
BD -18 0255	01 33 17	-18 12 40	10.27	9.416	0.022	9.247	0.022	9.237	0.023	d	1
CD -61 00282	01 36 06	-61 05 03	10.10	8.948	0.039	8.649	0.034	8.682	0.027	d	1
HD 009902	01 37 09	+20 42 00	8.71	7.308	0.030	6.906	0.024	6.839	0.020	d	1
BD -18 0271	01 37 19	-17 29 04	9.85	7.530	0.021	6.914	0.034	6.786	0.024	g	1
HD 011377	01 51 29	-16 44 26	8.50	7.532	0.026	7.318	0.036	7.218	0.027	d	1
HD 011397	01 51 41	-16 19 04	9.02	7.686	0.023	7.318	0.033	7.270	0.023	d	1
BD +29 0366	02 10 25	+29 48 24	8.77	7.572	0.018	7.280	0.026	7.216	0.015	d	1
BD -01 0306	02 14 40	-01 12 05	9.09	7.899	0.021	7.589	0.036	7.520	0.026	d	1
HD 013979	02 15 21	-25 54 55	9.19	7.645	0.027	7.203	0.059	7.093	0.021	g	1
HD 014056	02 17 07	+21 34 01	9.04	7.853	0.030	7.521	0.021	7.466	0.021	d	1
BD +13 0374	02 20 39	+13 40 12	8.99	7.672	0.032	7.279	0.031	7.171	0.021	d	1
HD 015306	02 27 51	+00 47 22	8.92	8.182	0.021	8.013	0.033	7.980	0.023	d	1
HD 016031	02 34 11	-12 23 03	9.78	8.790	0.027	8.516	0.034	8.457	0.019	d	1
HD 016115	02 35 06	-09 26 34	8.15	6.062	0.023	5.544	0.018	5.322	0.023	g	1
BD +09 0352	02 41 14	+09 46 12	10.17	9.012	0.027	8.829	0.025	8.749	0.021	d	1
BPS CS 22189-0009	02 41 42	-13 28 15	14.04	12.391	0.021	11.895	0.025	11.798	0.028	g	1
G 004-036	02 43 22	+13 25 57	11.49	10.362	0.021	10.058	0.021	10.012	0.019	d	1
HD 017288	02 44 10	-60 03 22	9.88	8.697	0.027	8.423	0.031	8.329	0.036	d	1
HD 017548	02 48 52	-01 30 35	8.16	7.097	0.021	6.802	0.051	6.765	0.024	d	1
SA 189	02 50 00	-61 52 31	15.97	13.894	0.024	13.324	0.022	13.203	0.033	g	2
HD 017820	02 51 58	+11 22 12	8.38	7.233	0.039	6.930	0.049	6.895	0.020	d	1
SA 189	02 54 20	-60 02 46	15.56	13.363	0.026	12.670	0.027	12.543	0.035	g	2
SA 189	02 56 02	-58 09 31	15.74	13.957	0.028	13.414	0.023	13.298	0.032	g	2
SA 189	02 57 30	-60 46 40	13.94	11.980	0.021	11.380	0.025	11.309	0.025	g	2
SA 189	02 59 59	-60 25 32	13.73	11.561	0.022	10.914	0.021	10.851	0.026	g	2
SA 189	03 01 28	-59 47 25	13.56	11.739	0.021	11.188	0.023	11.106	0.023	g	2
SA 189	03 01 55	-61 33 00	15.06	13.019	0.029	12.303	0.027	12.238	0.021	g	2
LP 0831-0070	03 06 05	-22 19 18	11.40	10.654	0.021	10.379	0.023	10.344	0.027	d	1
BPS CS 22968-0014	03 06 29	-54 30 32	13.72	12.026	0.024	11.533	0.026	11.467	0.025	g	1
HD 019745	03 07 03	-65 26 57	9.11	7.213	0.024	6.675	0.027	6.536	0.020	g	1
SA 189	03 07 32	-58 14 48	15.16	13.274	0.026	12.669	0.023	12.599	0.029	g	2
HD 019445	03 08 26	+26 19 51	8.05	6.948	0.020	6.696	0.034	6.640	0.020	d	1
HD 020038	03 10 27	-58 49 41	8.93	7.332	0.023	6.850	0.029	6.780	0.021	g	1
SA 189	03 11 17	-59 16 44	13.66	11.829	0.023	11.285	0.022	11.193	0.021	g	2
BPS CS 22172-0002	03 14 21	-10 35 10	12.73	10.898	0.022	10.431	0.022	10.320	0.021	g	1
SA 189	03 19 13	-58 09 15	13.41	11.539	0.024	10.999	0.023	10.863	0.026	g	2
SA 189	03 19 23	-58 45 50	15.03	13.099	0.024	12.483	0.025	12.392	0.027	g	2
CD -33 01173	03 19 35	-32 50 43	10.91	10.008	0.022	9.790	0.025	9.745	0.023	d	1
SA 189	03 21 10	-61 08 06	13.42	11.139	0.022	10.506	0.022	10.369	0.023	g	2
SA 189	03 21 31	-58 26 06	14.78	13.020	0.023	12.495	0.024	12.405	0.024	g	2
SA 189	03 22 53	-60 58 22	14.89	13.045	0.024	12.533	0.023	12.397	0.025	g	2
SA 189	03 23 47	-60 17 03	15.15	13.085	0.030	12.469	0.025	12.381	0.019	g	2
SA 189	03 27 30	-60 06 25	15.30	13.214	0.024	12.638	0.025	12.520	0.024	g	2
BD +20 0571	03 27 40	+21 02 48	10.79	9.495	0.018	9.163	0.016	9.131	0.019	d	1
HD 021543	03 28 21	-06 31 51	8.23	7.001	0.018	6.743	0.040	6.647	0.018	d	1
HD 021581	03 28 54	+00 25 03	8.72	6.975	0.018	6.547	0.047	6.414	0.020	g	1
CD -47 01087	03 34 44	-47 16 12	10.26	9.105	0.022	8.791	0.024	8.726	0.023	d	1
HD 022670	03 39 04	+09 39 10	9.01	7.898	0.023	7.623	0.029	7.583	0.031	d	1
HD 022785	03 39 38	-04 08 54	9.59	8.746	0.023	8.552	0.038	8.525	0.026	d	1
BPS CS 29529-0012	03 43 26	-60 20 20	14.80	13.562	0.024	13.272	0.034	13.274	0.034	d	1
HD 023798	03 46 46	-30 51 13	8.32	6.276	0.030	5.657	0.036	5.517	0.024	g	1
HD 024339	03 51 24	-25 55 57	9.44	8.303	0.026	8.035	0.029	7.970	0.024	d	1
BPS CS 29529-0034	03 53 53	-59 06 27	14.94	13.612	0.027	12.967	0.035	12.732	0.029	d	1

Star/field	α	δ	V	J		H		K		type	refs
	(h m s)	(^{o} $'$ $''$)	(mag)	(mag)		(mag)		(mag)			
HD 025532	04 04 11	+23 24 27	8.24	6.688	± 0.023	6.327	±0.021	7.183	± 0.021	g	1
BD +06 0648	04 13 13	+06 36 02	9.09	6.562	0.020	5.905	0.033	5.798	0.018	g	1
HD 284248	04 14 36	+22 21 04	9.22	8.165	0.018	7.927	0.023	7.871	0.023	d	1
BD -06 0855	04 14 58	-05 37 49	10.60	9.332	0.029	8.888	0.029	8.793	0.023	d	1
BPS CS 22182-0024	04 20 01	-31 21 51	12.88	11.952	0.026	11.740	0.023	11.682	0.024	d	1
BPS CS 22186-0050	04 32 08	-37 03 16	13.64	12.598	0.027	12.276	0.025	12.271	0.021	d	1
BPS CS 22191-0017	04 36 31	-40 14 45	13.86	12.833	0.023	12.591	0.022	12.517	0.029	d	1
CPD -57 0680	04 36 40	-57 32 41	9.26	7.588	0.020	7.108	0.042	6.957	0.026	g	1
HD 029907	04 38 22	-65 24 58	9.91	8.512	0.021	8.192	0.053	8.090	0.020	d	1
HD 029574	04 38 56	-13 20 48	8.38	5.726	0.021	5.208	0.076	4.840	0.017	g	1
HD 029528	04 39 37	+13 07 23	8.95	7.606	0.018	7.280	0.027	7.168	0.020	d	1
HD 030328	04 46 45	+02 42 02	8.82	6.982	0.020	6.465	0.024	6.377	0.017	g	1
HD 031128	04 52 10	-27 03 51	9.14	8.032	0.023	7.800	0.027	7.738	0.018	d	1
BD +03 0740	05 01 17	+04 06 37	9.82	8.795	0.021	8.532	0.034	8.516	0.029	d	1
HD 034328	05 13 05	-59 38 44	9.46	8.316	0.021	8.046	0.029	7.998	0.026	d	1
HD 273975	05 18 20	-48 52 13	10.72	9.514	0.029	9.167	0.022	9.095	0.021	d	1
HD 035179	05 22 21	-14 23 50	9.48	7.715	0.029	7.234	0.040	7.099	0.024	g	1
CD -29 02277	05 28 51	-29 53 48	11.61	10.487	0.026	10.216	0.022	10.143	0.023	d	1
HD 036552	05 30 20	-43 41 38	8.08	6.522	0.019	6.138	0.027	5.970	0.018	g	1
HD 036702	05 31 52	-38 33 24	8.38	6.126	0.026	5.477	0.024	5.329	0.020	g	1
HD 274939	05 33 18	-47 56 14	9.45	7.856	0.023	7.441	0.044	7.299	0.024	g	1
HD 040402	05 57 19	-27 19 53	8.60	6.926	0.032	6.465	0.029	6.314	0.031	g	1
HD 041667	06 05 04	-32 59 39	8.52	6.630	0.024	6.107	0.029	5.929	0.020	g	1
HD 043767	06 15 40	-46 07 55	8.28	8.070	0.030	8.040	0.046	8.020	0.023	d	1
CD -57 01633	07 06 29	-57 27 29	9.54	8.499	0.021	8.219	0.049	8.089	0.036	d	1
HD 053871	07 09 27	+52 02 19	9.07	7.992	0.021	7.769	0.024	7.711	0.020	d	1
HD 064090	07 53 33	+30 36 18	8.30	6.956	0.018	6.611	0.017	6.537	0.023	d	1
G 090-036	08 00 29	+29 00 39	12.70	11.382	0.021	11.046	0.022	10.962	0.020	d	1
HD 068988	08 18 22	+61 27 39	8.21	7.060	0.021	6.812	0.020	6.743	0.024	d	1
HD 233511	08 19 23	+54 05 10	9.71	8.617	0.021	8.386	0.017	8.329	0.015	d	1
HD 233517	08 22 47	+53 04 49	9.70	7.346	0.020	6.752	0.034	6.637	0.027	g	1
HD 074462	08 48 21	+67 26 59	8.69	6.688	0.027	6.117	0.033	6.047	0.029	g	1
BD +06 2063	08 55 38	+06 09 05	8.98	5.299	0.037	4.446	0.198	4.192	0.055	g	1
BD -05 2678	08 59 03	-06 23 46	11.92	10.610	0.023	10.244	0.023	10.187	0.021	d	1
HD 076910	08 59 06	+00 37 26	8.50	7.584	0.026	7.355	0.040	7.323	0.024	d	1
BD -03 2525	08 59 10	-04 01 37	9.67	8.561	0.026	8.276	0.044	8.205	0.026	d	1
G 114-042	09 10 45	-03 48 12	12.76	11.593	0.024	11.265	0.024	11.193	0.025	d	1
G 046-031	09 17 04	+03 01 30	10.86	9.747	0.022	9.489	0.022	9.393	0.020	d	1
HD 079633	09 17 08	+51 19 20	9.04	8.393	0.023	8.306	0.029	8.235	0.021	d	1
HD 080607	09 22 40	+50 36 14	9.07	7.798	0.029	7.509	0.029	7.389	0.021	d	1
HD 081713	09 26 46	-20 38 53	8.91	7.142	0.023	6.651	0.044	6.523	0.024	g	1
BD +09 2190	09 29 16	+08 38 00	11.14	10.193	0.022	9.932	0.022	9.907	0.024	d	1
HD 083212	09 36 20	-20 53 15	8.34	6.307	0.021	5.729	0.034	5.609	0.023	g	1
HD 083632	09 40 34	+26 00 14	8.06	5.612	0.019	4.861	0.027	4.725	0.020	g	1
HD 083769	09 40 46	+01 01 29	10.23	9.398	0.026	9.193	0.022	9.163	0.023	d	1
HD 233666	09 42 19	+53 28 26	9.34	7.860	0.021	7.467	0.023	7.367	0.018	g	1
HD 083888	09 42 47	+45 31 02	8.84	7.980	0.020	7.814	0.017	7.732	0.017	d	1
G 116-053	09 47 42	+33 22 42	12.98	11.788	0.021	11.483	0.016	11.411	0.017	d	1
BD +09 2242	09 48 53	+08 58 28	9.59	8.554	0.030	8.308	0.051	8.294	0.021	d	1
HD 084937	09 48 56	+13 44 39	8.28	7.359	0.020	7.121	0.021	7.062	0.018	d	1
HD 237846	09 52 39	+57 54 59	9.98	8.355	0.026	7.931	0.049	7.816	0.018	g	1
HD 085773	09 53 39	-22 50 08	9.43	7.230	0.024	6.660	0.063	6.505	0.021	g	1
CD -24 08642	09 59 35	-24 51 26	9.64	8.050	0.027	7.580	0.031	7.491	0.021	g	1
HD 087140	10 04 43	+54 20 43	9.00	7.471	0.026	7.046	0.023	6.943	0.017	g	1
HD 087646	10 06 41	+17 53 42	8.07	6.897	0.021	6.612	0.021	6.536	0.018	d	1
HD 089499	10 07 30	-85 04 33	8.68	7.032	0.023	6.604	0.040	6.427	0.026	g	1
HD 088609	10 14 29	+53 33 39	8.64	6.665	0.029	6.129	0.020	6.006	0.018	g	1
BD +30 2034	10 33 15	+29 36 55	10.40	8.296	0.018	7.735	0.018	7.578	0.017	g	1
BD +09 2384	10 40 25	+08 54 04	9.85	8.242	0.037	7.753	0.055	7.648	0.029	g	1
HD 092545	10 40 58	-12 11 44	8.56	7.548	0.023	7.347	0.024	7.282	0.027	d	1
BD +29 2091	10 47 23	+28 23 56	10.22	9.104	0.018	8.805	0.016	8.739	0.019	d	1
HD 093529	10 47 29	-25 26 15	9.31	7.503	0.027	6.987	0.033	6.873	0.017	g	1
HD 093487	10 47 56	+23 20 07	8.71	7.225	0.018	6.856	0.023	6.764	0.021	g	1
G 196-047	10 50 29	+56 26 40	12.58	11.282	0.022	10.987	0.032	10.831	0.020	d	1
HD 094028	10 51 28	+20 16 39	8.23	7.130	0.020	6.854	0.023	6.832	0.017	d	1
HD 094956	10 57 24	-29 16 51	8.46	6.712	0.021	6.238	0.042	6.107	0.024	g	1
BD -10 3166	10 58 29	-10 46 13	10.00	8.611	0.032	8.300	0.040	8.124	0.026	d	1
SA 127	10 59 49	-18 36 42	15.04	12.777	0.022	12.104	0.025	11.973	0.023	g	2
SA 127	10 59 52	-19 54 50	14.73	13.010	0.023	12.513	0.021	12.391	0.023	g	2
SA 127	11 00 15	-17 53 56	15.06	13.251	0.024	12.762	0.027	12.655	0.026	g	2
SA 127	11 00 30	-18 +6 26	14.90	12.639	0.029	11.988	0.023	11.829	0.023	g	2
HD 095405	11 00 34	-25 51 23	8.33	6.431	0.030	5.848	0.055	5.718	0.029	g	1
SA 127	11 01 01	-16 50 19	15.11	12.804	0.023	12.086	0.024	11.906	0.024	g	2
SA 127	11 01 36	-17 48 47	14.46	12.684	0.026	12.089	0.023	12.023	0.021	g	2
SA 127	11 02 07	-18 02 07	14.23	12.280	0.026	11.700	0.026	11.572	0.023	g	2
SA 127	11 02 16	-17 33 16	14.83	12.416	0.026	11.680	0.023	11.522	0.025	g	2
SA 127	11 02 29	-16 09 31	14.81	12.696	0.024	12.014	0.025	11.865	0.027	g	2
SA 127	11 02 30	-16 55 53	15.35	13.656	0.024	13.126	0.025	13.075	0.038	g	2
SA 127	11 02 44	-17 36 00	15.11	13.014	0.023	12.378	0.022	12.276	0.026	g	2
SA 127	11 03 24	-17 14 31	14.24	12.189	0.023	11.563	0.022	11.429	0.021	g	2
SA 127	11 03 37	-17 43 23	13.81	11.840	0.021	11.278	0.024	11.134	0.023	g	2
SA 127	11 04 25	-17 57 56	15.65	13.310	0.026	12.605	0.029	12.420	0.023	g	2
SA 127	11 04 42	-17 50 02	14.01	11.921	0.024	11.246	0.023	11.108	0.023	g	2
SA 127	11 04 55	-17 46 14	15.15	13.175	0.024	12.493	0.027	12.488	0.026	g	2
SA 127	11 04 57	-18 27 56	15.02	13.238	0.023	12.708	0.030	12.665	0.029	g	2
SA 127	11 04 58	-18 07 19	14.96	12.902	0.023	12.266	0.024	12.128	0.026	g	2
SA 127	11 05 28	-18 54 55	14.14	12.189	0.021	11.608	0.023	11.493	0.025	g	2
SA 127	11 05 50	-16 53 02	15.46	13.738	0.026	13.249	0.032	13.110	0.040	g	2
SA 127	11 05 53	-19 34 51	14.30	12.009	0.021	11.333	0.025	11.229	0.023	g	2
SA 127	11 06 28	-19 47 00	14.92	12.827	0.022	12.212	0.027	12.089	0.026	g	2
SA 127	11 07 03	-18 06 17	15.56	13.784	0.029	13.229	0.035	13.209	0.037	g	2
SA 127	11 07 39	-19 28 31	15.39	13.288	0.025	12.662	0.029	12.463	0.030	g	2
HD 096360	11 07 53	+68 21 59	8.10	4.069	0.192	3.166	0.190	2.768	0.250	g	1
SA 127	11 08 17	-16 31 35	14.47	12.648	0.036	11.897	0.027	11.789	0.024	g	2
SA 127	11 08 21	-17 53 37	15.22	13.494	0.026	13.011	0.028	12.846	0.033	g	2
SA 127	11 08 30	-19 56 10	14.33	12.063	0.022	11.382	0.022	11.261	0.025	g	2
SA 127	11 08 39	-17 20 07	14.82	12.262	0.023	11.552	0.023	11.397	0.021	g	2
SA 127	11 09 14	-19 35 29	13.77	11.902	0.023	11.346	0.025	11.239	0.026	g	2
SA 127	11 09 43	-19 27 26	15.06	12.701	0.023	11.947	0.025	11.848	0.025	g	2
SA 127	11 09 53	-18 34 10	15.35	13.475	0.025	12.963	0.030	12.863	0.030	g	2
SA 127	11 10 24	-18 50 29	14.68	12.837	0.023	12.246	0.023	12.148	0.026	g	2
SA 127	11 11 19	-17 03 52	15.40	13.713	0.023	13.179	0.029	13.157	0.035	g	2
SA 127	11 11 25	-19 15 25	14.52	12.518	0.026	11.869	0.022	11.829	0.021	g	2
SA 127	11 11 34	-16 15 18	13.77	11.650	0.023	11.004	0.027	10.899	0.023	g	2
SA 127	11 11 59	-19 07 36	13.85	12.094	0.023	11.564	0.022	11.523	0.023	g	2
SA 127	11 12 02	-19 21 01	14.92	12.785	0.022	12.155	0.023	12.024	0.024	g	2
SA 127	11 12 03	-18 54 32	15.27	13.403	0.027	12.805	0.025	12.694	0.029	g	2
SA 127	11 12 16	-16 11 13	15.45	13.711	0.028	13.145	0.029	13.066	0.039	g	2
SA 127	11 12 17	-16 08 40	13.56	11.639	0.024	11.098	0.023	11.018	0.021	g	2
BD +36 2165	11 12 48	+35 43 44	9.75	8.791	0.027	8.552	0.031	8.498	0.018	d	1
LP 0732-0048	11 13 05	-12 47 54	12.51	11.532	0.024	11.264	0.026	11.242	0.021	d	1
SA 127	11 13 18	-17 39 34	15.67	13.655	0.026	13.042	0.022	12.860	0.030	g	2
SA 127	11 13 41	-16 44 32	13.96	11.584	0.022	10.944	0.023	10.796	0.026	g	2
SA 127	11 14 06	-16 34 24	13.69	11.588	0.022	10.986	0.022	10.867	0.021	g	2
SA 127	11 14 17	-16 43 28	15.17	13.112	0.024	12.482	0.023	12.392	0.027	g	2

Star/field	α	δ	V	J		H		K		type	refs
	(h m s)	(° ′ ″)	(mag)	(mag)		(mag)		(mag)			
SA 127	11 14 31	-19 17 33	15.55	13.440	± 0.026	12.800	± 0.026	12.673	±0.027	g	2
SA 127	11 15 48	-17 29 11	15.33	13.470	0.027	12.952	0.025	12.844	0.029	g	2
HD 097916	11 15 54	+02 05 12	9.17	8.319	0.018	8.104	0.031	8.018	0.029	d	1
SA 127	11 16 23	-19 12 34	14.81	12.457	0.024	11.708	0.022	11.614	0.025	g	2
SA 127	11 16 26	-17 50 38	15.51	13.729	0.028	13.157	0.023	13.066	0.031	g	2
SA 127	11 16 56	-17 20 07	15.30	13.520	0.029	12.966	0.031	12.935	0.038	g	2
SA 127	11 17 02	-16 48 45	15.79	13.663	0.024	12.983	0.025	12.799	0.028	g	2
SA 127	11 17 42	-19 57 37	15.60	13.327	0.024	12.629	0.029	12.447	0.023	g	2
SA 127	11 18 15	-19 08 13	14.52	12.764	0.030	12.200	0.024	12.122	0.026	g	2
SA 127	11 18 38	-16 37 27	14.19	12.192	0.025	11.573	0.023	11.459	0.022	g	2
SA 127	11 19 24	-16 45 52	14.55	12.412	0.020	11.740	0.024	11.632	0.022	g	2
SA 127	11 19 32	-18 01 55	14.36	11.730	0.028	11.060	0.024	10.870	0.019	g	2
SA 127	11 19 44	-18 59 53	14.03	11.906	0.027	11.229	0.024	11.106	0.025	g	2
SA 127	11 19 54	-17 33 37	14.78	12.617	0.023	11.995	0.025	11.838	0.026	g	2
SA 127	11 20 09	-19 23 33	15.64	13.672	0.023	13.182	0.030	13.021	0.027	g	2
HD 099109	11 24 17	-01 31 45	8.80	7.626	0.026	7.259	0.040	7.162	0.024	d	1
HD 099383	11 25 50	-38 52 17	9.08	8.025	0.023	7.756	0.044	7.644	0.033	d	1
BD +21 2321	11 27 24	+20 42 06	11.52	10.188	0.022	9.836	0.023	9.766	0.017	d	1
HD 100503	11 33 47	-31 05 17	8.73	6.151	0.023	5.391	0.029	5.174	0.024	g	1
BD -02 3375	11 35 42	-03 39 28	11.00	9.871	0.023	9.593	0.024	9.518	0.023	d	1
HD 100906	11 36 42	-18 58 11	9.66	8.031	0.019	7.595	0.021	7.493	0.020	g	1
HD 101227	11 39 06	+44 18 20	8.39	7.128	0.023	6.807	0.038	6.736	0.020	d	1
BD +26 2251	11 44 36	+25 32 12	10.35	9.290	0.018	9.022	0.016	8.963	0.018	d	1
HD 102158	11 45 31	+47 40 01	8.03	6.860	0.026	6.589	0.020	6.509	0.026	d	1
BD +51 1696	11 46 35	+50 52 55	9.90	8.678	0.020	8.375	0.027	8.306	0.020	d	1
BD -13 3442	11 46 51	-14 06 43	10.37	9.293	0.026	9.034	0.026	9.018	0.019	d	1
HD 103036	11 51 50	-05 45 44	8.18	5.860	0.020	5.247	0.029	5.046	0.021	g	1
HD 103295	11 53 37	-28 38 13	9.56	7.945	0.026	7.498	0.034	7.374	0.018	g	1
BD -01 2582	11 53 37	-02 00 37	9.62	8.126	0.020	7.717	0.067	7.598	0.021	g	1
HD 103545	11 55 27	+09 07 45	9.46	7.608	0.021	7.104	0.034	6.988	0.029	g	1
BD -21 3420	11 55 28	-22 23 13	10.15	9.042	0.020	8.703	0.042	8.698	0.023	d	1
HD 103723	11 56 36	-21 25 10	10.07	9.007	0.027	8.718	0.040	8.655	0.021	d	1
HD 103912	11 58 00	+48 12 12	8.39	6.681	0.019	6.261	0.024	6.159	0.018	g	1
HD 233891	11 59 59	+51 46 18	8.84	7.159	0.018	6.694	0.020	6.607	0.017	g	1
HD 104340	12 00 57	-21 15 03	8.17	5.853	0.019	5.219	0.021	5.037	0.020	g	1
HD 104893	12 04 43	-29 11 05	9.25	7.001	0.018	6.384	0.033	6.257	0.020	g	1
HD 105004	12 05 25	-26 35 44	10.21	9.229	0.029	8.949	0.051	8.865	0.023	d	1
HD 105546	12 09 03	+59 01 05	8.64	7.152	0.026	6.756	0.024	6.674	0.018	g	1
HD 105755	12 10 16	+54 29 17	8.59	7.414	0.020	7.126	0.024	7.062	0.024	d	1
HD 105740	12 10 17	+16 22 13	8.38	6.506	0.018	5.963	0.020	5.847	0.024	g	1
HD 106038	12 12 01	+13 15 41	10.18	9.107	0.029	8.834	0.061	8.761	0.018	d	1
HD 106191	12 13 11	-15 13 56	10.00	8.935	0.022	8.672	0.023	8.586	0.022	d	1
HD 107752	12 22 53	+11 36 25	10.07	8.252	0.026	7.754	0.040	7.661	0.016	g	1
BD +31 2360	12 24 18	+30 46 00	11.28	9.449	0.018	8.894	0.015	8.830	0.016	g	1
HD 108076	12 24 46	+38 19 07	8.02	6.815	0.019	6.542	0.020	6.483	0.020	d	1
HD 108177	12 25 35	+01 17 02	9.66	8.673	0.023	8.404	0.033	8.354	0.026	d	1
HD 108317	12 26 37	+05 18 09	8.04	6.623	0.026	6.233	0.031	6.153	0.023	g	1
HD 108577	12 28 17	+12 20 41	9.55	7.995	0.024	7.549	0.016	7.463	0.031	g	1
BD +04 2621	12 28 45	+04 01 27	9.91	8.179	0.023	7.688	0.040	7.549	0.020	g	1
HD 108754	12 29 43	-03 19 59	9.03	7.660	0.023	7.295	0.027	7.201	0.026	d	1
CD -39 07674	12 32 29	-40 05 55	11.10	9.893	0.026	9.659	0.025	9.613	0.023	d	1
HD 109303	12 33 19	+49 18 07	8.15	7.045	0.021	6.822	0.031	6.757	0.017	d	1
HD 109443	12 34 47	-23 28 32	9.25	8.404	0.024	8.210	0.051	8.157	0.026	d	1
HD 110184	12 40 14	+08 31 38	8.31	6.125	0.024	5.505	0.047	5.346	0.026	g	1
HD 110281	12 41 04	+00 37 14	9.39	6.653	0.023	5.910	0.027	5.775	0.018	g	1
MFF90 PHI 4-34	12 43 15	-28 56 25	11.63	9.850	0.022	9.371	0.025	9.242	0.022	g	1
BD +03 2688	12 44 08	+02 44 38	10.50	8.520	0.029	7.976	0.042	7.911	0.029	g	1
HD 111515	12 49 45	+01 11 17	8.10	6.812	0.023	6.493	0.053	6.358	0.020	d	1
MFF90 PHI 4-17	12 52 17	-30 01 54	11.91	9.573	0.024	8.875	0.025	8.715	0.023	g	1
HD 111980	12 53 15	-18 31 20	8.38	7.176	0.024	6.890	0.047	6.768	0.020	d	1
HD 113083	13 01 26	-27 22 28	8.05	6.964	0.023	6.659	0.033	6.576	0.018	d	1
HD 113679	13 05 53	-38 30 60	9.70	8.466	0.018	8.228	0.046	8.108	0.029	d	1
HD 113801	13 06 25	-20 03 31	8.45	6.631	0.019	6.160	0.031	5.985	0.018	g	1
BD +33 2300	13 06 33	+32 40 01	10.09	9.044	0.022	8.803	0.019	8.725	0.017	d	1
HD 114095	13 08 26	-07 18 30	8.35	6.541	0.018	6.043	0.040	5.887	0.020	g	1
HD 114606	13 11 21	+09 37 34	8.74	7.534	0.019	7.219	0.036	7.088	0.024	d	1
HD 115444	13 16 42	+36 22 53	9.00	7.160	0.019	6.702	0.023	6.607	0.020	g	1
HD 115772	13 20 00	-39 56 20	9.63	8.090	0.041	7.622	0.049	7.589	0.020	g	1
HD 116064	13 21 44	-39 18 40	8.81	7.698	0.024	7.372	0.038	7.306	0.024	d	1
G 255-032	13 21 48	+74 12 33	11.64	10.439	0.021	10.118	0.021	10.070	0.022	d	1
HD 117243	13 28 39	+28 26 55	8.34	7.200	0.023	6.930	0.021	6.879	0.024	d	1
HD 117220	13 29 36	-37 33 36	9.04	7.386	0.018	6.874	0.036	6.802	0.020	g	1
BD +03 2782	13 29 56	+02 45 27	9.72	7.734	0.029	7.187	0.053	7.077	0.034	g	1
HD 118055	13 34 40	-16 19 23	8.89	6.573	0.020	5.911	0.049	5.724	0.020	g	1
BD +01 2831	13 36 02	+01 12 08	10.89	9.455	0.026	9.063	0.026	8.993	0.023	d	1
BD +18 2757	13 36 32	+18 09 02	9.83	8.094	0.019	7.679	0.017	7.619	0.021	g	1
HD 118659	13 38 00	+19 08 53	8.84	7.553	0.039	7.194	0.024	7.132	0.021	d	1
G 064-012	13 40 02	+00 02 19	11.49	10.509	0.024	10.268	0.023	10.208	0.021	d	1
HD 119173	13 41 43	-04 01 46	8.80	7.730	0.024	7.460	0.027	7.390	0.024	d	1
HD 119667	13 44 45	-03 32 00	8.45	5.269	0.021	4.408	0.210	4.185	0.238	g	1
HD 120170	13 47 59	-08 47 23	9.03	7.257	0.026	6.751	0.038	6.613	0.018	g	1
HD 121135	13 53 34	+02 41 41	9.41	7.750	0.018	7.300	0.034	7.182	0.023	g	1
HD 121258	13 54 55	-26 00 57	10.50	9.272	0.024	8.885	0.042	8.803	0.021	d	1
BD +34 2476	13 59 09	+33 51 39	10.06	9.077	0.019	8.850	0.016	8.811	0.018	d	1
HD 122196	14 01 02	-38 03 03	8.75	7.629	0.027	7.361	0.033	7.275	0.024	d	1
HD 122547	14 01 55	+32 49 33	9.42	7.361	0.021	6.790	0.021	6.605	0.018	g	1
G 064-037	14 02 30	-05 39 05	11.14	10.188	0.028	9.956	0.024	9.923	0.023	d	1
HD 123710	14 04 57	+74 34 25	8.22	6.999	0.020	6.703	0.026	6.650	0.020	d	1
HD 123821	14 08 27	+51 35 33	8.63	6.952	0.020	6.540	0.026	6.379	0.016	g	1
HD 124244	14 12 17	+08 24 25	8.48	7.293	0.029	7.029	0.047	6.908	0.024	d	1
BD +09 2870	14 16 30	+08 27 53	9.45	7.534	0.020	6.968	0.016	6.869	0.023	g	1
G 239-012	14 18 53	+73 14 12	11.61	10.628	0.022	10.361	0.028	10.291	0.020	d	1
BD +01 2916	14 21 45	+00 46 59	9.65	7.273	0.030	6.566	0.023	6.472	0.026	g	1
BD +08 2856	14 23 58	+08 01 33	9.96	8.060	0.020	7.530	0.051	7.387	0.033	g	1
HD 126511	14 24 49	+41 16 30	8.30	7.001	0.024	6.677	0.018	6.606	0.020	d	1
HD 126614	14 26 48	-05 10 40	8.70	7.470	0.021	7.160	0.042	7.060	0.036	d	1
HD 126587	14 27 00	-22 14 39	9.15	7.258	0.020	6.777	0.042	6.668	0.020	g	1
HD 126681	14 27 25	-18 24 40	9.32	8.044	0.023	7.709	0.040	7.631	0.024	d	1
BD +18 2890	14 32 13	+17 25 24	9.77	8.241	0.023	7.837	0.018	7.744	0.018	g	1
G 166-037	14 34 51	+25 09 54	12.66	11.246	0.022	10.839	0.023	10.775	0.014	d	1
G 066-009	14 35 14	+12 13 30	12.01	10.827	0.021	10.563	0.019	10.489	0.018	d	1
HD 128188	14 35 47	-11 24 12	9.94	8.089	0.024	7.516	0.018	7.384	0.024	g	1
HD 129392	14 42 11	+03 56 19	8.92	8.032	0.030	7.827	0.042	7.789	0.031	d	1
HD 129515	14 42 11	+31 55 36	8.78	7.790	0.023	7.583	0.036	7.519	0.020	d	1
HD 129518	14 42 49	+04 02 45	8.86	7.866	0.024	7.623	0.040	7.540	0.024	d	1
HD 130322	14 47 33	+00 16 53	8.05	6.712	0.023	6.315	0.027	6.234	0.023	d	1
BD +26 2606	14 49 02	+25 42 09	9.72	8.676	0.027	8.394	0.023	8.352	0.020	d	1
G 066-030	14 50 08	+00 50 27	11.07	10.062	0.023	9.842	0.025	9.789	0.022	d	1
HD 131653	14 55 07	-09 05 50	9.50	8.154	0.035	7.802	0.051	7.680	0.033	d	1
HD 132475	14 59 50	-22 00 46	8.57	7.327	0.026	6.996	0.036	6.912	0.021	d	1
BD -11 3853	15 00 31	-12 26 57	10.21	9.089	0.025	8.797	0.025	8.733	0.028	d	1
BPS BS 16968-0061	15 01 06	+03 42 46	13.26	12.214	0.024	11.929	0.022	11.866	0.025	d	1
BD +30 2611	15 06 54	+30 00 37	9.14	6.882	0.023	6.203	0.018	6.094	0.021	g	1
HD 134113	15 07 46	+08 52 47	8.26	7.093	0.030	6.761	0.031	6.695	0.017	d	1
HD 134088	15 08 13	-07 54 48	8.00	6.807	0.029	6.490	0.047	6.434	0.033	d	1

Star/field	α	δ	V	J		H		K		type	refs
	(h m s)	(^{o} $'$ $''$)	(mag)	(mag)		(mag)		(mag)			
HD 135148	15 13 17	+12 27 26	9.38	7.137	± 0.030	6.515	± 0.020	6.368	± 0.023	g	1
G 152-035	15 32 00	-11 22 42	12.15	10.814	0.022	10.493	0.022	10.419	0.019	d	1
HD 138776	15 34 17	-02 43 27	8.72	7.475	0.018	7.198	0.033	7.112	0.027	d	1
HD 141531	15 49 16	+09 36 42	9.15	6.971	0.027	6.337	0.034	6.215	0.020	g	1
BPS CS 22884-0108	15 49 57	-09 14 11	14.24	12.996	0.027	12.679	0.023	12.588	0.026	d	1
G 016-025	16 01 23	+05 24 00	13.33	12.051	0.024	11.674	0.025	11.626	0.027	d	1
BD +42 2667	16 03 13	+42 14 47	9.85	8.822	0.023	8.517	0.021	8.491	0.022	d	1
HD 144921	16 07 27	+24 54 30	8.35	5.538	0.052	5.023	0.166	4.638	0.016	g	1
HD 146099	16 12 43	+43 38 59	8.13	7.095	0.029	6.827	0.017	6.765	0.021	d	1
HD 147609	16 21 52	+27 22 27	9.21	8.211	0.024	8.035	0.036	7.948	0.020	d	1
HD 148408	16 27 48	-01 04 09	9.62	8.252	0.023	7.876	0.053	7.781	0.026	d	1
G 180-058	16 28 17	+44 40 38	11.29	9.901	0.022	9.507	0.021	9.397	0.018	d	1
BD +11 2998	16 30 17	+10 59 52	9.07	7.619	0.019	7.271	0.027	7.185	0.021	g	1
BD +09 3223	16 33 36	+09 06 16	9.25	7.760	0.020	7.335	0.040	7.277	0.023	g	1
HD 149750	16 35 15	+37 01 20	8.59	7.416	0.023	7.132	0.027	7.044	0.023	d	1
G 169-021	16 37 05	+31 19 24	12.12	10.786	0.020	10.440	0.022	10.359	0.019	d	1
HD 149996	16 38 17	-02 26 32	8.49	7.325	0.020	7.028	0.044	6.922	0.023	d	1
LP 0685-0047	16 43 10	-05 56 48	12.55	10.686	0.023	10.274	0.023	10.149	0.022	g	1
BPS CS 22878-0101	16 45 31	+08 14 46	13.79	11.873	0.019	11.369	0.027	11.242	0.021	g	1
G 139-008	17 01 44	+16 09 03	11.46	10.333	0.018	10.066	0.017	10.007	0.017	d	1
HD 158226	17 26 43	+31 04 38	8.50	7.318	0.020	7.007	0.020	6.930	0.038	d	1
BD +17 3248	17 28 14	+17 30 36	9.37	7.876	0.056	7.391	0.038	7.338	0.018	g	1
BD +23 3130	17 32 42	+23 44 12	8.95	7.420	0.019	7.026	0.017	6.952	0.018	g	1
HD 160693	17 39 37	+37 11 02	8.36	7.226	0.021	6.957	0.026	6.896	0.016	d	1
BD +20 3603	17 54 43	+20 16 16	9.69	8.860	0.020	8.620	0.016	8.603	0.020	d	1
BPS CS 22959-0007	18 41 13	-67 15 28	14.07	13.213	0.026	13.011	0.025	12.952	0.033	d	1
HD 178443	19 10 37	-43 16 36	10.04	8.414	0.018	8.013	0.020	7.911	0.026	g	1
HD 181743	19 23 43	-45 04 57	9.71	8.624	0.023	8.348	0.020	8.274	0.021	d	1
HD 187216	19 24 18	+85 21 57	9.56	6.891	0.023	6.251	0.040	6.025	0.020	g	1
BPS CS 22891-0200	19 35 19	-61 42 25	13.93	11.995	0.022	11.461	0.025	11.414	0.023	g	1
HD 184711	19 37 12	-39 44 37	8.05	5.513	0.024	4.862	0.076	4.708	0.016	g	1
BPS CS 22891-0209	19 42 02	-61 03 46	12.17	10.235	0.024	9.745	0.022	9.623	0.021	g	1
BPS CS 22896-0154	19 42 27	-56 58 34	13.64	12.072	0.026	11.637	0.023	11.540	0.024	g	1
BPS CS 22873-0055	19 53 50	-59 40 00	12.65	10.654	0.024	10.127	0.022	10.006	0.022	g	1
BD -18 5550	19 58 50	-18 12 11	9.35	7.202	0.020	6.721	0.047	6.555	0.018	g	1
HD 188985	19 59 58	-48 58 31	8.57	7.546	0.021	7.320	0.031	7.231	0.027	d	1
HD 190287	20 05 38	-34 55 12	8.54	6.970	0.032	6.519	0.031	6.441	0.017	g	1
BPS CS 22873-0128	20 07 04	-58 34 57	13.03	11.430	0.029	10.993	0.026	10.874	0.024	g	1
HD 192031	20 13 23	-15 25 56	8.66	7.305	0.020	6.873	0.024	6.813	0.020	d	1
BPS CS 22873-0166	20 19 22	-61 30 20	11.82	9.832	0.024	9.263	0.026	9.137	0.023	g	1
BPS CS 22885-0096	20 20 51	-39 53 30	13.33	11.630	0.024	11.163	0.025	11.090	0.025	g	1
BPS CS 22950-0046	20 21 28	-13 16 36	14.22	12.250	0.022	11.685	0.022	11.583	0.026	g	1
HD 193901	20 23 36	-21 22 14	8.67	7.500	0.018	7.219	0.038	7.144	0.023	d	1
LP 0635-0014	20 26 47	+00 37 06	11.33	10.285	0.023	10.041	0.022	9.997	0.020	d	1
HD 195598	20 33 47	-39 36 23	9.24	8.188	0.026	7.928	0.038	7.884	0.031	d	1
LP 0815-0043	20 38 14	-20 25 54	10.91	9.964	0.022	9.709	0.022	9.650	0.020	d	1
HD 196892	20 40 49	-18 47 33	8.23	7.182	0.026	6.907	0.047	6.824	0.017	d	1
BD -15 5781	20 45 35	-14 31 15	10.80	8.936	0.029	8.465	0.059	8.288	0.021	g	1
BD +04 4551	20 48 51	+05 11 59	9.69	8.619	0.017	8.298	0.029	8.251	0.021	d	1
HD 198245	20 50 23	-40 36 30	8.98	7.749	0.018	7.459	0.053	7.321	0.027	d	1
BD -14 5890	20 56 09	-13 31 18	10.31	8.511	0.024	8.022	0.023	7.939	0.036	g	1
HD 199289	20 58 09	-48 12 13	8.30	7.178	0.020	6.920	0.046	6.841	0.024	d	1
BPS CS 22897-0008	21 03 11	-65 05 15	13.33	11.596	0.026	11.089	0.022	11.002	0.021	g	1
HD 200654	21 06 35	-49 57 50	9.11	7.648	0.018	7.252	0.036	7.154	0.020	g	1
G 025-022	21 14 48	+11 00 30	12.32	11.097	0.024	10.741	0.024	10.704	0.021	d	1
HD 202206	21 14 58	-20 47 21	8.08	6.850	0.026	6.567	0.016	6.485	0.023	d	1
G 093-001	21 18 32	+02 36 24	14.64	13.316	0.028	12.911	0.022	12.838	0.027	d	1
MFF90 959 11 094	21 23 43	+06 22 07	11.24	9.571	0.024	9.106	0.026	8.990	0.024	g	1
MFF90 959 11 058	21 23 59	+06 51 50	11.92	10.270	0.023	9.801	0.027	9.681	0.025	g	1
MFF90 959 11 051	21 25 09	+06 56 31	11.47	9.648	0.023	9.117	0.026	8.976	0.021	g	1
MFF90 959 11 163	21 25 43	+05 29 49	12.31	9.864	0.024	9.151	0.026	8.988	0.023	g	1
HD 204155	21 26 43	+05 26 30	8.47	7.360	0.021	7.032	0.033	7.011	0.029	d	1
MFF90 959 11 003	21 26 46	+07 29 27	11.52	9.795	0.026	9.218	0.024	9.149	0.026	g	1
MFF90 959 32 087	21 28 32	+04 14 05	11.38	9.054	0.027	8.317	0.057	8.193	0.017	g	1
HD 204543	21 29 28	-03 30 55	8.31	6.462	0.023	5.898	0.038	5.777	0.016	g	1
CD -35 14849	21 33 50	-35 26 14	10.63	9.590	0.023	9.355	0.025	9.293	0.022	d	1
HD 205156	21 34 51	-49 47 35	8.16	6.955	0.024	6.642	0.034	6.517	0.024	d	1
HD 205650	21 37 26	-27 38 07	9.00	7.917	0.020	7.628	0.027	7.573	0.023	d	1
BPS CS 22948-0027	21 37 46	-39 27 19	12.66	10.979	0.024	10.534	0.021	10.427	0.023	g	1
HD 206433	21 41 54	+10 04 23	9.39	8.440	0.021	8.261	0.057	8.183	0.029	d	1
HD 206739	21 44 24	-11 46 23	8.56	6.698	0.021	6.138	0.029	6.033	0.024	g	1
BD -09 5831	21 45 31	-08 24 35	10.40	8.486	0.020	7.926	0.023	7.813	0.026	g	1
G 018-024	22 05 01	+08 38 18	12.03	10.820	0.022	10.528	0.022	10.474	0.021	d	1
BD +11 4725	22 05 41	+12 22 36	9.55	8.223	0.021	7.856	0.018	7.757	0.020	d	1
HD 210295	22 09 41	-13 36 19	9.59	7.839	0.020	7.315	0.026	7.183	0.020	g	1
BD +17 4708	22 11 31	+18 05 34	9.47	8.435	0.056	8.108	0.046	8.075	0.038	d	1
HD 210631	22 11 39	+06 11 36	8.51	7.269	0.020	6.944	0.049	6.891	0.027	d	1
HD 211075	22 14 20	+18 01 13	8.21	5.974	0.019	5.378	0.038	5.217	0.018	g	1
BPS CS 22892-0052	22 17 02	-16 39 26	13.18	11.492	0.021	11.022	0.022	10.929	0.021	g	1
BD +07 4841	22 18 37	+08 26 45	10.38	9.334	0.029	9.054	0.024	9.017	0.023	d	1
HD 211744	22 20 10	-44 21 53	9.15	7.642	0.024	7.206	0.046	7.117	0.024	g	1
BPS CS 29491-0084	22 28 50	-28 57 03	13.48	12.524	0.023	12.251	0.026	12.201	0.028	d	1
HD 213467	22 32 08	-31 10 25	8.58	7.041	0.027	6.549	0.027	6.479	0.027	g	1
HD 213657	22 33 47	-42 03 14	9.66	8.672	0.026	8.406	0.027	8.346	0.026	d	1
G 027-045	22 44 56	-02 21 13	11.48	10.093	0.026	9.706	0.024	9.652	0.028	d	1
HD 215601	22 46 48	-31 52 19	8.49	6.850	0.019	6.405	0.018	6.280	0.023	g	1
HD 216179	22 50 46	+01 51 55	9.34	7.977	0.023	7.639	0.036	7.561	0.021	d	1
HD 216777	22 55 50	-07 49 21	8.03	6.816	0.034	6.492	0.033	6.353	0.020	d	1
HD 217272	23 00 16	-52 49 19	9.03	6.772	0.024	6.119	0.047	6.001	0.021	g	1
CD -24 17504	23 07 21	-23 52 36	12.18	11.121	0.022	10.874	0.023	10.807	0.023	d	1
HD 218502	23 08 39	-15 03 12	8.50	7.265	0.024	7.020	0.033	6.972	0.017	d	1
HD 218504	23 08 43	-18 45 07	8.13	7.014	0.018	6.730	0.034	6.666	0.021	d	1
HD 218857	23 11 25	-16 15 04	8.95	7.397	0.019	6.991	0.057	6.873	0.017	g	1
CPD -64 4333	23 16 31	-63 27 05	9.59	7.762	0.023	7.209	0.029	7.088	0.018	g	1
HD 219617	23 17 05	-13 51 04	8.16	7.082	0.019	6.860	0.020	6.771	0.023	d	1
HD 219715	23 18 01	+09 04 27	9.19	7.720	0.029	7.291	0.034	7.183	0.018	g	1
BD +02 4651	23 19 40	+03 22 17	10.19	9.193	0.023	8.902	0.024	8.831	0.022	d	1
BD +33 4707	23 25 11	+34 17 14	9.00	7.628	0.020	7.153	0.024	7.062	0.017	d	1
HD 220662	23 25 42	-23 56 21	10.03	8.143	0.024	7.545	0.031	7.444	0.027	g	1
BPS CS 22949-0048	23 26 09	-05 49 58	13.66	11.919	0.023	11.374	0.024	11.282	0.023	g	1
BPS CS 22949-0037	23 26 32	-02 39 47	14.36	12.650	0.024	12.159	0.023	12.075	0.024	g	1
HD 220838	23 27 16	-26 58 58	9.39	7.226	0.027	6.667	0.044	6.483	0.026	g	1
BD -08 6117	23 28 56	-07 49 19	9.60	9.226	0.024	8.662	0.055	8.543	0.021	d	1
HD 221580	23 33 40	-53 39 29	9.22	7.736	0.024	7.370	0.051	7.247	0.017	g	1
BPS CS 22952-0015	23 37 29	-05 47 56	13.28	11.520	0.022	10.999	0.024	10.916	0.023	g	1
BPS CS 22894-0019	23 39 19	+00 03 42	13.92	12.839	0.026	12.523	0.025	12.505	0.030	d	1
HD 222434	23 40 42	-34 41 47	8.81	6.821	0.032	6.242	0.055	6.095	0.016	g	1
BD +18 5215	23 46 56	+19 28 22	9.74	8.795	0.032	8.560	0.031	8.535	0.018	d	1
BPS CS 29499-0060	23 53 40	-26 58 44	13.05	12.102	0.024	11.855	0.024	11.865	0.021	d	1